
Dynamics "We don't just sell we solve your problems" TATPARYA DYNAMICS

Contact us:-


www.tatparyadynamics.com
Hardik Patel
Mo - 8460337402
Email- Hardik@tatparyadynamics.com



About us







- We are a multi-disciplinary industrial solutions provider specializing in hydraulic sealing systems, valves, small hydraulic cylinders, gas springs, and industrial electronics repair and supply.
- We don't just sell products we understand our customers'
 problems and deliver practical, reliable solutions tailored to their
 needs. Whether it's a leaking cylinder, a failed control board, or a need
 for OEM-compatible seals, we're here to solve it fast and effectively.
- With a focus on quality, technical expertise, and service, we support OEMs, factories, and maintenance teams across industries. Our goal is to be your trusted one-stop partner for both mechanical and electronic industrial needs.

What we offer

- Hydraulic seals
- Hydraulic valves
- Hydraulic cylinder
- Hydraulic gas spring
- Repairment and supply of all industrial electronics.





Hydraulic seals


Piston seals

piston seals maintain sealing contact between a piston and cylinder bore. The moving piston rod generates high pressure on the piston seal which increases contact forces between the seal and cylinder surface.

Wide range of materials including thermoplastic polyurethanes (TPU), polytetrafluoroethylene (PTFE), polyamide (PA) and nitrile rubber (NBR)

Two types of piston seals

- Double acting seal
- Single acting seal







Hydraulic seals

- · Rod and buffer seals
- Rod and buffer seals maintain sealing contact in *sliding* motion between the cylinder head and the piston rod

	Pressure	Up to 700 bar (10000 psi)			0		
	Speed	Up to 1	m/s (3.2 ft/s)			
т	omporaturo rango		-40	-30	110	120	130[°C]
ı	「emperature range_ ₋₇	75	-40	-20	230	250	265[°F]





Hydraulic seals

Wiper seal

 Hydraulic cylinders operate in a variety of applications and environmental conditions, including exposure to dust, debris or outside weather conditions. To prevent these contaminants from entering the cylinder assembly and hydraulic system, wiper seals (also known as scrapers, excluders or dust seals) are fitted on the external side of the cylinder head.

•	Speed	•	Up to 1 m/s (3.2 ft/s)
•	Temperature range	•	-40 to +110 °C (-40 to +230 °F)










- Direction control valve
- Directional Control Valves (DCVs) guide the flow of hydraulic oil within a circuit. They control the starting, stopping, and direction of fluid flow, making them essential in almost every hydraulic application
- Types of DCVs:
- 4/3 Way Solenoid Valve (center positions: closed/open/floating)
- 4/2 Way Manual Lever Valve
- Pilot Operated DCV
- Monoblock Valves (widely used in mobile hydraulics)







Parameter	Value		
Max Pressure	Up to 350 bar		
Flow Rate	20 – 250 L/min		
Operation Type	Solenoid / Lever / Pilot / Pneumatic		
Coil Voltage	12V, 24V DC / 110V, 220V AC		
Port Size	1/4" to 1" BSP / NPT		
Mounting Style	Subplate, Inline, Modular		







- Electro-Hydraulic Servo Valves
- Servo valves are used for precision hydraulic control in systems requiring fast response, high accuracy, and continuous feedback. They are a core part of servo-hydraulic closed-loop systems.

Parameter	Value		
Rated Flow	1 – 100 L/min		
Operating Pressure	210 – 350 bar		
Signal Input	±10V, 4–20 mA, PWM,		
oignat input	CANopen, EtherCAT		
Feedback Mechanism	LVDT / Digital sensor		
Response Time	1 – 5 ms		
Mounting	ISO 10372 / CETOP 3, 5		





Pressure Control Valves

Function: Maintain system pressure within safe limits

- Type:-
- · Pressure Relief Valve
- Pressure Reducing Valve
- · Sequence Valve
- Unloading Valve Specs:
- Pressure Range: 5–350 bar
- · Mounting: Inline / Modular / Subplate



Flow Control Valves



Check Valves



Modular Valves (Stack Type)





Hydraulic Gas spring

We supply durable, maintenance-free hydraulic gas springs for lifting, lowering, and positioning applications. Ideal for panels, hoods, lids, and machinery — ensuring smooth and controlled motion.

Key Features:

- Compact design, high force in small size
- •Custom stroke & force as per application
- •No leakage, long-life performance
- •Available in mild steel & SS304/316
- •Ball socket, eyelet & fork-end mountings

We also offer custom-designed gas springs based on force, stroke, and mounting







We repair

-AC & DC Drives (VFDs, Servo, Spindle)

PLCs & Industrial PCs

- HMIs, Operator Panels, Touchscreens

- SMPS, Linear PSUs, UPS Systems

- CNC Boards, Controller PCBs

I/O Modules, Communication Modules

- Encoders, Sensors, Temperature Controllers

- Relays, SSRs, IGBTs & Power Modules









Why Choose Us - Focused, Fast & Technically Sharp

your Trusted Startup for Industrial Electronics & Hydraulics

W LIV

we bring **technical depth, fast response**, and real commitment to every repair and supply request. Our goal is to make your operations smoother and your downtime shorter — without unnecessary replacements.

- Why Work With Us:
- In-depth knowledge of hydraulic and electronic systems.
- Direct component-level diagnostics and repair
- Affordable repair costs vs full replacements
- Quick turnaround for urgent service
- · Customer-first, problem-solving approach
- Growing inventory & adaptable service model



We're not just a vendor — we're your partner in building long-term reliability



Contact us

Hardik Patel(Director)

Phone: +91 8460337402

- Email: hardik@tatparyadynamics.com
- Website: www.tatparyadynamics.com
 CONTACT
 US
- Register office: 6th Floor, B.D Patel house, Ankur road,

Navarangpura, Ahmedabd

• Branch Office – 401, Siddheswar Holiness, Harni, Vadodada.